


	01252 336614
	enquiries@total-as.com

SMARTS 400 WINDOW ORDER FORM

Tick for Quote Only

Page of

Company Name	Preferred Delivery Date	Order Reference	Date
Delivery Address	Phone Number	Email Address	

Mark the items required: Viewed from the outside

Part "Q" Compliant / PAS24 Yes No = Required for Part Q / PAS24

Frame	ETC4110 STD	ETC4115 FLUSH	ETC4111 Long Leg	ETC4113 Step Herritage Frame Leg	ETC4116 Long Leg Flush
-------	-------------	---------------	------------------	----------------------------------	------------------------

Sash	ETC4129 Flat Internal Bead STD	ETC4120 External Bead	ETC4124 Slim Internal Bead	ETC4125 Heritage Sash
------	--------------------------------	-----------------------	----------------------------	-----------------------

Bead	Flat Internal Bead (STD)	Chamfered	Softline	Stayguards <input checked="" type="radio"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Glass Lock Clips <input checked="" type="radio"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>
------	--------------------------	-----------	----------	---	------------------------------	-----------------------------	---	------------------------------	-----------------------------

Frame Colour	White (G)	Grey (7016 M)	Black (9005 M)	Custom RAL	Inside	Finish	M-S-G	Outside	Finish	M-S-G
--------------	-----------	---------------	----------------	------------	--------	--------	-------	---------	--------	-------

Trickle Vent Colour	None	White	Black	Grey	Colour Coded
---------------------	------	-------	-------	------	--------------

Handle Colour	Black	White	Chrome	Satin Silver	Graphite	Gold	Colour Coded
---------------	-------	-------	--------	--------------	----------	------	--------------

Heritage Handles	Black	Cast Monkey Tail	Cast Bulb End	Trade Monkey End	Trade Bulb End
------------------	-------	------------------	---------------	------------------	----------------

Glass Supply	Total	Unglazed	Glass Thickness	24mm	28mm (Std)	32mm	40mm
--------------	-------	----------	-----------------	------	------------	------	------

Glass Specification - Security Clips for all externally glazed frames (fixed lights) supplied as standard.

Energy Rating	C	B	A	None
---------------	---	---	---	------

Astragal Bars for 28mm units only	20mm Flat Overlapping Bars
	25mm Flat bars
	20mm Bevel Bar External / 20mm Flat Internal (External Glaze Only)

Print Name _____

Signature _____

Design Number	Design viewed from the outside	Transom Drop			Cill Type		Hinge Type		Add-On's (20mm or 42mm)				Glass Type
		1/4	1/3	1/2	None		Standard		20mm				Notes
		Bespoke (mm)			85mm		Egress		Top	Bottom	Left	Right	
		Mullion			150mm		Restricted						
		1/4	1/3	1/2	190mm		Easy Clean		42mm				
		Manufacturing Sizes (mm)			225mm		Trickle Vent		Top	Bottom	Left	Right	
		W	H		Size (mm)		Yes	No					

Design Number	Design viewed from the outside	Transom Drop			Cill Type		Hinge Type		Add-On's (20mm or 42mm)				Glass Type
		1/4	1/3	1/2	None		Standard		20mm				Notes
		Bespoke (mm)			85mm		Egress		Top	Bottom	Left	Right	
		Mullion			150mm		Restricted						
		1/4	1/3	1/2	190mm		Easy Clean		42mm				
		Manufacturing Sizes (mm)			225mm		Trickle Vent		Top	Bottom	Left	Right	
		W	H		Size (mm)		Yes	No					

Design Number	Design viewed from the outside	Transom Drop			Cill Type		Hinge Type		Add-On's (20mm or 42mm)				Glass Type
		1/4	1/3	1/2	None		Standard		20mm				Notes
		Bespoke (mm)			85mm		Egress		Top	Bottom	Left	Right	
		Mullion			150mm		Restricted						
		1/4	1/3	1/2	190mm		Easy Clean		42mm				
		Manufacturing Sizes (mm)			225mm		Trickle Vent		Top	Bottom	Left	Right	
		W	H		Size (mm)		Yes	No					

Design Number	Design viewed from the outside	Transom Drop			Cill Type		Hinge Type		Add-On's (20mm or 42mm)				Glass Type
		1/4	1/3	1/2	None		Standard		20mm				Notes
		Bespoke (mm)			85mm		Egress		Top	Bottom	Left	Right	
		Mullion			150mm		Restricted						
		1/4	1/3	1/2	190mm		Easy Clean		42mm				
		Manufacturing Sizes (mm)			225mm		Trickle Vent		Top	Bottom	Left	Right	
		W	H		Size (mm)		Yes	No					
Location													

Design Number	Design viewed from the outside	Transom Drop			Cill Type		Hinge Type		Add-On's (20mm or 42mm)				Glass Type
		1/4	1/3	1/2	None		Standard		20mm				Notes
		Bespoke (mm)			85mm		Egress		Top	Bottom	Left	Right	
		Mullion			150mm		Restricted						
		1/4	1/3	1/2	190mm		Easy Clean		42mm				
		Manufacturing Sizes (mm)			225mm		Trickle Vent		Top	Bottom	Left	Right	
		W	H		Size (mm)		Yes	No					
Location													

Design Number	Design viewed from the outside	Transom Drop			Cill Type		Hinge Type		Add-On's (20mm or 42mm)				Glass Type
		1/4	1/3	1/2	None		Standard		20mm				Notes
		Bespoke (mm)			85mm		Egress		Top	Bottom	Left	Right	
		Mullion			150mm		Restricted						
		1/4	1/3	1/2	190mm		Easy Clean		42mm				
		Manufacturing Sizes (mm)			225mm		Trickle Vent		Top	Bottom	Left	Right	
		W	H		Size (mm)		Yes	No					
Location													